

CABINET DOOR STYLES—AMBASSADOR, ACADEMY, COSMOPOLITAN, CAVALIER



F - Full glass with standard pull

G - Full glass with standard pull & Saf-T-Lok™

V - Vertical duo with standard pull

W - Vertical duo with standard pull & Saf-T-Lok

S21- Solid with standard pull

L22 - Solid with standard pull & Saf-T-Lok

D - Horizontal duo with standard pull

B10 - Small view window with standard pull & Saf-T-Lok



F - Full glass with recessed pull (4" trim models have recessed pull)

G - Full glass with recessed pull & Saf-T-Lok (4" trim models have recessed pull)

V - Vertical duo with recessed pull (4" trim models have recessed pull)

W - Vertical duo with recessed pull & Saf-T-Lok (4" trim models have recessed pull)

S21 Door with recessed pull (4" trim models have recessed pull)

L22 - Solid with recessed pull & Saf-T-Lok (4" trim models have recessed pull)

E - Horizontal duo with standard pull & Saf-T-Lok

L24 Solid with cylinder key lock & no pull



JL INDUSTRIES

CABINET DOOR STYLES

NOTE: 4" TRIM STYLE (12, 22, 32 models) HAS RECESSED PULL

See page 2 for window dimension detail of 1000 series

See page 3 for details of handle height and ADA-mounting

© 2022 Activar Construction Products Group, Inc.

CABINET GLAZING —AMBASSADOR, ACADEMY, COSMOPOLITAN, CAVALIER, CROWNLINE



10 CLEAR ACRYLIC
17 CLEAR TEMPERED
18 LAMINATED SAFETY GLASS



15 BRONZE ACRYLIC
COMPLETELY
OBSCURES CONTENTS



16 GRAY ACRYLIC
SHADES VIEW OF
CONTENTS




13 CLEAR WIRE GLASS
WITH SAFETY FILM

VIEWABLE WINDOW DIMENSIONS FOR 1000 AND 2000 SERIES - (Dimensions in inches)

F Full Glass with Standard Pull	G Full Glass with Standard Pull & Saf-T-Lok	V Vertical Duo with Standard Pull	W Vertical Duo with Standard Pull & Saf-T-Lok	D Horizontal Duo with Standard Pull	E Horizontal Duo with Standard Pull & Saf-T-Lok	B10 Small View Window with Standard Pull & Saf-T-Lok
1000: 7.625 x 21.25 2000: 9.125 x 24.25	1000: 7.625 x 21.25 2000: 9.125 x 24.25	1000: 2 x 21.25 2000: 2 x 24.25	1000: 2 x 21.25 2000: 2 x 24.25	1000: 7.625 x 6 2000: 9.125 x 6	1000: 7.625 x 6	1000: 2 x 4 2000: 2 x 4
F Full Glass with Recessed Pull (4" trim models have re- cessed pull)	G Full Glass with Recessed Pull & Saf-T-Lok (4" trim models have re- cessed pull)	V Vertical Duo with Recessed Pull (4" trim models have recessed pull)	W Vertical Duo with Recessed Pull & Saf-T-Lok (4" trim models have re- cessed pull)	D Horizontal Duo with Recessed Pull (4" trim models have re- cessed pull)	E Horizontal Duo with Standard Pull & Saf-T-Lok	B10 Small View Window with Recessed Pull & Saf-T-Lok (Standard Pull with 4" trim models)
1000: 4.5 x 21.25 2000: 5.875 x 24.25	1000: 4.5 x 21.25 2000: 6 x 24.25	1000: 2 x 21.25 2000: 2 x 24.25	1000: 2 x 21.25 2000: 2 x 24.25	1000: 7.688 x 6 2000: 9.125 x 6	1000: 7.625 x 6	1000: 2 x 4

ADA MOUNTING HEIGHT


Door with Standard Pull Centered & No Lock - F, S, V, D
Or Any Door with Recessed Pull - Lock or No Lock



Calculate Bottom Edge of Wall Opening to Have Door Pull Centered at 48" AFF:


48" minus (Wall Opening Height Divided by 2).

Example for 1017F10: $48" - (25" \div 2) = 35.5"$ AFF



Example for 24" High Non-FX Cabinet


Door with Standard Pull & Lock -
E, G, W, L22 & B10



Calculate Bottom Edge of Wall Opening to Have Door Pull Centered at ~ 48" AFF:

44" minus (Wall Opening Height Divided by 2).

Example for 1017G10: $44" - (25" \div 2) = 31.5"$ AFF



Example for 24" High Non FX Cabinet